

L Number	Hits	Search Text	DB	Time stamp
2	2082	(hard adj drive) and reverse and buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 10:33
3	11	(hard adj drive) same reverse same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 10:57
4	2	(disk adj drive) same scan same reverse same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 10:58
5	131	(disk adj drive) same scan same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 12:32
6	87	scan same scheduling same algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 12:33
-	5394	instruction and segment and recording	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/11 07:25
-	3998	(instruction and segment and recording) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 13:42
-	216	((instruction and segment and recording) and @ad<=20001109) and reverse adj order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 10:30
-	8119	(trace or flow) near3 (cache or buffer) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 14:58
-	2782	(trace or flow) near (cache or buffer) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 14:58
-	1017	((trace or flow) near (cache or buffer) and @ad<=20001109) and (revers\$3 or backward\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 15:00
-	5	((trace or flow) near (cache or buffer) and @ad<=20001109) and (instruction adj segment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 10:32
-	284	((((trace or flow) near (cache or buffer) and @ad<=20001109) and (revers\$3 or backward\$2)) and segment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 15:09
-	91	trace adj cache and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 15:24

	303	stor\$4 near3 ((data adj structure) or string or stack) same (reverse or backwards) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 08:59
	1	combin\$4 near3 multiple near3 trace and cache and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 09:09
	6	redundant near5 trace and cache and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 09:09
	693	(append or add) adj2 (front or head) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 13:24
	162	((append or add) adj2 (front or head) and @ad<=20001109) and comput\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:36
	531	((append or add) adj2 (front or head) and @ad<=20001109) not (((append or add) adj2 (front or head) and @ad<=20001109) and comput\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:38
	3248	stor\$4 near5 (data adj structure) and pointer and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 13:25
	1871	(stor\$4 near5 (data adj structure) and pointer and @ad<=20001109) and (append or reverse or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 13:27
	630	((stor\$4 near5 (data adj structure) and pointer and @ad<=20001109) and (append or reverse or update)) and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 15:21
	313	712/200.ccls. and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 08:39
	211	krishnamoorthy.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:25
	4	krishnamoorthy.in. and hooper.in. and bixby.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:30
	0	witt.in. and "method and apparatus for testing".ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:31
	3378	witt.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:31

	16	witt.in. and testing and reversed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 15:31
	14349	sort\$4 with (array or list or instruction or (data adj structure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 10:32
	115	(sort\$4 with (array or list or instruction or (data adj structure))) with (reverse or inverse or backward)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 10:49
	364	instruction with (reverse adj2 order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 11:11
	62	instruction with (stor\$4 or sav\$4 or record\$4) with (reverse adj2 order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 10:50
	10	5611061.URPN.	USPAT	2004/05/07 10:59
	333	instruction with (reverse adj order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 11:11
	14	reverse adj program adj order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 11:11
	186	trace adj cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 10:52
	60	(instruction adj segment).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 10:53
	7	(instruction adj segment).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 10:56
	11013	(growing or appending or inserting or adding) with (trace or segment or (basic adj block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 10:57
	20396	(growing or appending or inserting or adding or extending) near3 (trace or segment or (basic adj block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 10:58
	47	(growing or appending or inserting or adding or extending) near3 (instruction near3 (trace or segment or (basic adj block)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 11:01
	255	(grow\$3 or append\$3 or insert\$3 or add\$3 or extend\$3) with instruction with (trace or (instruction adj segment))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 11:03